


This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
1		RELEASED FOR PRODUCTION.	3/31/2015		




NOTE:
REF. AGUSTA T/N: 895-3101-31-107.

DART AEROSPACE	
TITLE TOOL KIT, PITCH CHANGE LINK, UP BEARING	
DWG NO. RBW895-3101-31-107	REV 1
MAT'L UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 .XX ± .01 .X ± .1	DRAWN BY: DUERFELDT APPROVED <i>J Gilbert</i> HEAT TREAT FINISH SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	USED ON MODEL AW109E/AW119
SCALE 1:4	DATE 3/4/2015
SHEET 1 OF 4	



ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	P.G.
			-1	1	TOOL ASSY, REMOVAL		RBW895-3101-32-101	1
			-3	1	TOOL ASSY, STAKING		RBW895-3101-33-101	1
			-5	1	BEARING POSITIONING TOOL		RBW895-3101-34-101	1
			-7	1	PLACARD	PLASTIC		2
		B/O	-9	1	BOTTOM TOOL CUSHION	Y-20 BLACK	3.95 X 11.62 X 11.81 I.R. SPECIALTY	3
		B/O	-11	1	TOP TOOL CUSHION	C200 FLAT, BLACK	1.20 X 9.08 X 11.98 I.R. SPECIALTY	4
		B/O	-13	1	CASE	PLASTIC	PELICAN CASE #APP-1400-E	N/S

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED



4X R .13






(-7)

PLACARD

DART AEROSPACE	
TITLE TOOL KIT, PITCH CHANGE LINK, UP BEARING	
DWG NO. RBW895-3101-31-107-7	REV 1
MAT'L PLASTIC	DRAWN BY: DUERFELDT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>J Gilbert</i>
.XXX ± .005 FRACTIONS ± 1/8	HEAT TREAT
.XX ± .01 ANGLES ± 5°	FINISH
.X ± .1	SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	AW109E/AW119
SCALE 1:2	DATE 3/4/2015
SHEET 2 OF 4	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL





(-9)

BOTTOM TOOL CUSHION

DART AEROSPACE	
TITLE TOOL KIT, PITCH CHANGE LINK, UP BEARING	
DWG NO. RBW895-3101-31-107-9	REV 1
MAT'L Y-20 BLACK	DRAWN BY: DUERFELDT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>J Gilbert</i>
.XXX ± .005 FRACTIONS ± 1/8	HEAT TREAT
.XX ± .01 ANGLES ± 5°	FINISH
.X ± .1	SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	AW109E/AW119
SCALE 1:4	DATE 3/4/2015
SHEET 3 OF 4	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS				
REV	ECR	DESCRIPTION	DATE	INITIAL
				APPROVED



(-11)
TOP TOOL CUSHION

DART AEROSPACE	
TITLE TOOL KIT, PITCH CHANGE LINK, UP BEARING	
DWG NO. RBW895-3101-31-107-11	REV 1
MAT'L C200 FLAT, BLACK	DRAWN BY: DUERFELDT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>J Gilbert</i>
.XXX ± .005 FRACTIONS ± 1/8	HEAT TREAT
.XX ± .01 ANGLES ± .5°	FINISH
.X ± .1	SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	AW109E/AW119
SCALE 1:4	DATE 3/4/2015
SHEET 4 OF 4	